

100 liter tank i Syrafast 316



38,000,00 kr /st exkl moms

Additional information: pharmacy; frame and cover, Aisi 304; some residues of previous content

Volumetric volume (L): 100 L

Pressure in tank: ATM - atmosferic

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 22 L

Max Overpressure: 6 Bar

Max. working temperature: 165 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Internal diameter tank: 645 mm

Outer diameter tank: 820 mm

Total height of tank: 1.350 mm

Total outer width: 860 mm

Total outer length: 1.050 mm

SKU: 423731

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: pharmacy; frame and cover, Aisi 304; some residues of previous content; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Volym i liter: 100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 645 mm

Total höjd: 1.350 mm

Ytterdiameter: 820 mm

Mer

Isolerad: Ja