

1000 liter tank i Rostfritt 304



59,000,00 kr /st exkl moms

Additional information: welding seams are not ground

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 14 L

Max Overpressure: 2,50 Bar

Max. working temperature: 95 °C

Heat exchanger: RVS 304

Fixation point(s): galvanised steel

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 1.600 mm

Total outer width: 1.120 mm

Total outer length: 1.120 mm

Empty weight tank: 0,16

SKU: 269365

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: welding seams are not ground
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): galvanised steel

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.080 mm
Total höjd: 1.600 mm

Mer

Värmeväxlare: RVS 304
Isolerad: Nej
Vikt: 0,16

