

1000 liter tank i Syrafast 316



22,000,00 kr /st exkl moms

Additional information: Cosmetics; Frame, Fe (galvanized); diameter of manhole approx. 420 m; slight differences in design (e.g. manhole cover); in 1 container the upper bottom is slightly pressed in, the other container has a dent in the side wall; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN40 DIN 11851
Total height of tank: 1.650 mm
Total outer width: 840 mm
Total outer length: 1.250 mm
Empty weight tank: 200

SKU: 475969

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Frame, Fe (galvanized); diameter of manhole approx. 420 mm; slight differences in design (e.g. manhole cover); in 1 container the upper bottom is slightly pressed in, the other container

Övrig information2: has a dent in the side wall; traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 1.650 mm

Mer

Isolerad: Nej

Vikt: 200