

1000 liter tank i Syrafast 316



62,000,00 kr /st exkl moms

Additional information: transport tank for viscous gels; Tanks are equipped with a pump (see pictures)

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 72

Top: 2,90 mm

Cylinder: 3,10 mm

Bottom: 3 mm

Internal diameter tank: 1.320 mm

Cylinder height: 550 mm

Total height of tank: 2.400 mm

Total outer width: 1.350 mm

Total outer length: 2.210 mm

SKU: 442172

Mer information

Beskrivning av produkt

Material: Syrafast 316

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: transport tank for viscous gels; 8 of the tanks are equipped with a pump, 1 tank without a pump (see pictures)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 550 mm

Invändig diameter: 1.320 mm

Total höjd: 2.400 mm

Tjocklek på tank

Botten: 3 mm

Cylinder: 3,10 mm

Topp: 2,90 mm

Mer

Isolerad: Nej
