

## 10000 liter tank i Rostfritt 304



**61,000,00 kr /st exkl moms**

**Additional information:** Iso jacket with dents and partially loosened screw connection; 1 square sheet metal was welded into the lower bottom of the inner tank (see photos), height-adjustable screws of the feet made of mild steel; manhole diameter 520 mm; some residues of previous content

**Volumetric volume (L):** 10.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** in the bottom

**Outlet of tank:** flange DN100  
**Agitator:** yes  
**Internal diameter tank:** 2.200 mm  
**Outer diameter tank:** 2.400 mm  
**Cylinder height:** 2.460 mm

**Total height of tank:** 4.500 mm

**SKU:** 274921

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Iso jacket with dents and partially loosened screw connection; 1 square sheet metal was welded into the lower bottom of the inner tank (see photos), height-adjustable screws of the feet made of mild

Övrig information2: steel; manhole diameter 520 mm ; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.460 mm

Invändig diameter: 2.200 mm

Total höjd: 4.500 mm

Ytterdiameter: 2.400 mm

**Mer**

Isolerad: Ja

---