

10000 liter tank i Rostfritt 304



120,000,00 kr /st exkl moms

Additional information: solvent tank; double safety jacket made of Fe (RSt-2; 4 mm)

Volumetric volume (L): 10.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: non-existent

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.025 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 271957

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: solvent tank; double safety jacket made of Fe (RSt-2; 4 mm)
Omrörare: Nej
Övertryck: 0.50 Bar
Total urtappning: Nej
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm
Invändig diameter: 2.000 mm
Total höjd: 4.200 mm
Ytterdiameter: 2.025 mm

Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

Mer

Isolerad: Nej