

10000 liter tank i Rostfritt 304



112,000,00 kr /st exkl moms

Additional information: seal manufacturing; insulation jacket with dents and metal cutoffs; 1 bent connection in the upper bottom; slight metallic discolourations inside; some residues of previous content

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic



Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 2 Bar

Max. working temperature: 80 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 55 - 136

Power: 5

Internal diameter tank: 2.390 mm

Outer diameter tank: 2.640 mm

Cylinder height: 2.000 mm

Total height of tank: 4.550 mm

SKU: 272479

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: seal manufacturing; insulation jacket with dents and metal cutoffs; 1 bent connection in the upper bottom; slight metallic discolourations inside; some residues of previous content; we can't give

Övrig information2: any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 2.390 mm

Total höjd: 4.550 mm

Ytterdiameter: 2.640 mm

Omrörare

Kraft (kW): 5

Varvtal: 55.136

Mer

Värmeväxlare: RVS 304

Isolerad: Ja