

## 10000 liter tank i Syrafast 316



**90,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 10.000 L

**Pressure in tank:** pressure

**Design pressure (Bar):** 0,10 Bar

**Max. pressure (Bar):** 0,10 Bar

**Material wet parts:** SS AISI 316L (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** flat

**Bottom outlet:** yes

**Total discharge:** no

**Manway(s):** RVS 316

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Tank outlet:** inside Ø 80 mm

**Agitator:** no, optional

**Distance from outlet to ground:** 255 mm

**Outer diameter tank:** 1.900 mm

**Cylinder height:** 3.500 mm

**Total height of tank:** 3.980 mm

**Empty weight tank:** 900

**SKU:** 291277

Mer information

## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: pressure  
Designtryck för tanken: 0,10 Bar  
Konfiguration: single-skin  
Mobil tank: Nej  
Omrörare: Nej  
Övertryck: 0.10 Bar  
Tankens form: cylindrical  
Total urtappning: Nej  
Typ av botten: flat  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316L (V4A)  
Volym i liter: 10000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Tankutlopp: inside Ø 80 mm  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 3.500 mm  
Mått utlopp till marken: 255 mm  
Total höjd: 3.980 mm  
Ytterdiameter: 1.900 mm

**Mer**

Isolerad: Nej

Vikt: 900

---