

## 100000 liter tank i Syrafast 316



**1,036,000,00 kr /st exkl moms**

**Additional information:** chemistry; Partially small dents in heating coils, slight seizure with shallow depth at the bottom of the jacket

**Volumetric volume (L):** 100.000 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar

**Min. pressure (Bar):** 1 Bar

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 230 L

**Max Overpressure:** 6 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 150/50

**Top:** 18 mm

**Cylinder:** 18 mm

**Bottom:** 25 mm

**Internal diameter tank:** 3.600 mm

**Outer diameter tank:** 3.800 mm

**Cylinder height:** 9.870 mm

**Total height of tank:** 11.500 mm

**Empty weight tank:** 21.000

**SKU:** 441602

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; Partially small dents in heating coils, slight seizure with shallow depth at the bottom of the jacket

Omrörare: Nej

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Volym i liter: 100000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 9.870 mm  
Invändig diameter: 3.600 mm  
Total höjd: 11.500 mm  
Ytterdiameter: 3.800 mm

## Tjocklek på tank

Botten: 25 mm  
Cylinder: 18 mm  
Topp: 18 mm

## Mer

Isolerad: Nej  
Vikt: 21.000