

1023 liter tank i Rostfritt 304



95,000,00 kr /st exkl moms

Additional information: frame Fe (galvanized)

Volumetric volume (L): 1.023 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 14 L

Max Overpressure: 2,50 Bar

Max. working temperature: 95 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 270

Power: 1,1

Internal diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 2.000 mm

SKU: 479490

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: frame Fe (galvanized); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1023

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.080 mm

Total höjd: 2.000 mm

Omrörare

Kraft (kW): 1,1

Varvtal: 270

Mer

Värmeväxlare: RVS 304

Isolerad: Nej