

10500 liter tank i Rostfritt 304



120,000,00 kr /st exkl moms

Additional information: Brewery; 1 stainless steel sheet inside in the lower bottom (see photos); Wall thickness of the lowest cylinder segment: 3 mm; dents at the cylinder

Volumetric volume (L): 10.500 L

Pressure in tank: pressure

Max. pressure (Bar): 1,50 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN80 DIN 11851

Top: 2,10 mm

Cylinder: 2,50 mm

Bottom: 2,50 mm

Internal diameter tank: 1.500 mm

Cylinder height: 5.500 mm

Total height of tank: 6.800 mm

SKU: 286718

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 20 °C

Mobil tank: Nej

Övrig information: Brewery; 1 stainless steel sheet inside in the lower bottom (see photos); Wall thickness of the lowest cylinder segment: 3 mm; dents at the cylinder

Omrörare: Nej

Övertryck: 1.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.500 mm

Invändig diameter: 1.500 mm

Total höjd: 6.800 mm

Tjocklek på tank

Botten: 2,50 mm

Cylinder: 2,50 mm

Topp: 2,10 mm

Mer

Isolerad: Nej