

105000 liter tank i Rostfritt 304



434,000,00 kr /st exkl moms

item available on order

Article type: brand new storage tank - type TZN-SE

Additional information: Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

Volumetric volume (L): 105.000 L

Max. density P (kg/m³): 1.250

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Top type: conical 14 %
Shape of tank: cylindrical
Bottom type: flat %
Total discharge: yes

Fixation points: 4 attachment points
Manway(s): RVS 304
Gasket manway(s): EPDM
Valve: RVS 316L
Fixation point(s): RVS 304

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Number of manways: 1
Position of manway: cylinder
Height manhole 1 (mm): 308 mm x H 440 mm
Hinged lid: yes
CIP spray ball: no

Tank outlet: inside Ø 80 mm
Outlet type: DIN11851
Total outlet valve: no, optional
Tank location: outside
Agitator: no

Top: 2 mm
Cylinder: 3 mm
Bottom: 3 mm
Internal diameter tank: 3.342 mm

Distance from outlet to ground: 150 mm

Outer diameter tank: 3.342 mm

Cylinder height: 12.000 mm

Height of top: 455 mm

Total height of tank: 12.500 mm

Empty weight tank: 3.000

SKU: 5912

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 1250

Mobil tank: Nej

Övrig information: Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat %

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 105000



Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 80 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 12.000 mm
Invändig diameter: 3.342 mm
Mått utlopp till marken: 150 mm
Total höjd: 12.500 mm
Ytterdiameter: 3.342 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 3 mm
Topp: 2 mm

Mer

Isolerad: Nej
Vikt: 3.000