

## 1100 liter tank i Rostfritt 304



**100,000,00 kr /st exkl moms**

**Additional information:** pharmacy

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 1 Bar



**Min. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** DN25 DIN 11851

**Agitator:** yes

**Number of revolutions:** 0 - 225

**Power:** 1,85

**Top:** 4 mm

**Cylinder:** 4 mm

**Bottom:** 3 mm

**Internal diameter tank:** 1.200 mm

**Cylinder height:** 850 mm

**Total height of tank:** 2.400 mm

**SKU:** N/A

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: pharmacy; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 1 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,50 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1100

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 850 mm

Invändig diameter: 1.200 mm

Total höjd: 2.400 mm

**Omrörare**

Kraft (kW): 1,85

Varvtal: 0 – 225

**Tjocklek på tank**

Botten: 3 mm

Cylinder: 4 mm

Topp: 4 mm

**Mer**

Isolerad: Nej