

## 1100 liter tank i Rostfritt 304



**204,000,00 kr /st exkl moms**

**Additional information:** fair tank - slight signs of wear; yeast plug mounted inside

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 3 Bar

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 10 L

**Max Overpressure:** 6 Bar

**Max. working temperature:** 50 °C

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN40 DIN 11851

**Internal diameter tank:** 1.000 mm

**Outer diameter tank:** 1.200 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 2.580 mm

**SKU:** 268939

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: fair tank – slight signs of wear; yeast plug mounted inside; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1100

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.000 mm

Total höjd: 2.580 mm

Ytterdiameter: 1.200 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja