

1100 liter tank i Rostfritt 304



52,000,00 kr /st exkl moms

Additional information: Chemistry; Accessible frame, Aisi 304; screwed-on outlet reduction to a diameter of approx. 18 mm; some residues of previous content; traces of usage

Volumetric volume (L): 1.100 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 70 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 10 L

Max Overpressure: 3 Bar

Max. working temperature: 70 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 18

Agitator: yes

Number of revolutions: 167 - 837

Power: 1,10

Internal diameter tank: 1.090 mm

Cylinder height: 970 mm

Total height of tank: 2.080 mm

SKU: 298024

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 70 °C

Mobil tank: Nej

Övrig information: Chemistry; Accessible frame, Aisi 304; screwed-on outlet reduction to a diameter of approx. 18 mm ; some residues of previous content;traces of usage; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 970 mm

Invändig diameter: 1.090 mm

Total höjd: 2.080 mm

Omrörare

Kraft (kW): 1,10

Varvtal: 167 - 837

Mer

Isolerad: Nej