

## 120 liter tank i Syrafast 316



**61,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Mobile frame, Aisi 304

**Volumetric volume (L):** 120 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 1,50 Bar

**Max. temperature (°C):** 130 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 16 L

**Max Overpressure:** 1 Bar

**Max. working temperature:** 15 °C

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 35

**Agitator:** yes

**Internal diameter tank:** 400 mm

**Outer diameter tank:** 500 mm

**Cylinder height:** 750 mm

**Total height of tank:** 1.350 mm

**SKU:** N/A

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 130 °C

Mobil tank: Nej

Övrig information: Pharmacy; Mobile frame, Aisi 304; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 1.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 120

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 750 mm

Invändig diameter: 400 mm

Total höjd: 1.350 mm

Ytterdiameter: 500 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej