

1255 liter tank i Rostfritt 304



27,000,00 kr /st exkl moms

Additional information: Chemistry; Frame, Fe (galvanized); hand hole diameter approx. 210 mm; 1 agitator flange and 1 cut-off connection in the manhole cover; Ball valve very stiff (possibly defective); some residues of previous content; traces of usage

Volumetric volume (L): 1.255 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.080 mm
Total height of tank: 1.700 mm
Total outer width: 1.120 mm
Total outer length: 1.220 mm

SKU: 419540

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Frame, Fe (galvanized); hand hole diameter approx. 210 mm; 1 agitator flange and 1 cut-off connection in the manhole cover; Ball valve very stiff (possibly defective); some residues of

Övrig information2: previous content;traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1255

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.080 mm

Total höjd: 1.700 mm

Mer

Isolerad: Nej