

1260 liter tank i Rostfritt 304



52,000,00 kr /st exkl moms

Additional information: Food utilization; 2 bearing shells, Fe; Test pressure (water): 1 bar; 3 openings diameter tube inside approx. 315 mm in the bottoms (1x with plated cover); 1 baffle plate inside the tank (see photos); some residues of previous content

Volumetric volume (L): 1.260 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 110 °C

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 990 mm

Total height of tank: 1.350 mm

Total outer length: 2.150 mm

SKU: 299146

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 110 °C

Mobil tank: Nej

Övrig information: Food utilization; 2 bearing shells, Fe; Test pressure (water): 1 bar; 3 openings diameter tube inside approx. 315 mm in the bottoms (1x with plated cover); 1 baffle plate inside the tank (see

Övrig information2: photos) ; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1260

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 990 mm

Total höjd: 1.350 mm

Mer

Isolerad: Nej
