

## 1400 liter tank i Rostfritt 304



**41,000,00 kr /st exkl moms**

**Additional information:** Spirits; Manhole appr. 300 x 440 mm; Level indicator incomplete; Butterfly valve screwed to the outlet (for 1 tank DN 50, for the other tank DN 40); 1 lifting eye in the upper bottom; some residues of previous content; scratches inside

**Volumetric volume (L):** 1.400 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** DN50 DIN 11851  
**Internal diameter tank:** 950 mm  
**Cylinder height:** 1.980 mm  
**Total height of tank:** 2.650 mm

**SKU:** 400463

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Spirits; Manhole appr. 300 x 440 mm; Level indicator incomplete; Butterfly valve screwed to the outlet (for 1 tank DN 50, for the other tank DN 40); 1 lifting eye in the upper bottom ; some residues

Övrig information2: of previous content;scratches inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1400

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.980 mm

Invändig diameter: 950 mm

Total höjd: 2.650 mm

## Mer

Isolerad: Nej

