

14000 liter tank i Rostfritt 304



131,000,00 kr /st exkl moms

Additional information: Height-adjustable screws of the feet no longer available; Wall thickness cylinder 2.5 / 3.0 mm; 1 opening diameter approx. 219 mm in the upper bottom

Volumetric volume (L): 14.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN65 DIN 11851

Top: 2,50 mm

Bottom: 3 mm

Internal diameter tank: 2.385 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 274318

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Height-adjustable screws of the feet no longer available; Wall thickness cylinder 2.5 / 3.0 mm; 1 opening diameter approx. 219 mm in the upper bottom

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 14000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.385 mm

Total höjd: 4.200 mm

Tjocklek på tank

Botten: 3 mm

Topp: 2,50 mm

Mer

Isolerad: Nej
