

150 liter tank i Rostfritt 304



32,000,00 kr /st exkl moms

item available on order

Article type: brand new mixing tank

Additional information: open tank on 3 legs; disk agitator in SS stainless-steel AISI 304 (V2A): 0,37 kW - 1.500 rpm; lantern ring in aluminium

Volumetric volume (L): 150 L

Max. density P (kg/m³): 1.000

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: eccentric bridge

Shape of tank: cylindrical

Bottom type: flat

Bottom outlet: yes

Total discharge: no

Fixation points: 3 non adjustable feet

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: BSP male

Agitator type: disk agitator

Position engine: at the top

Number of revolutions: 1.500

Power: 0,37

Outer diameter tank: 630 mm

Total height of tank: 980 mm

Empty weight tank: 85

SKU: 5582

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Konfiguration: single-skin

Maximal densitet för produkten: 1000

Mobil tank: Nej

Övrig information: open tank on 3 legs; disk agitator in SS stainless-steel AISI 304 (V2A): 0,37 kW
– 1.500 rpm; lantern ring in aluminium

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Nej

Typ av botten: flat

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 150

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Tankutlopp: inside Ø 32 mm

Teknisk ritning finns: Nej

Utloppstyp: BSP MALE

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 980 mm

Ytterdiameter: 630 mm

Omrörare

Kraft (kW): 0,37

Position motor: at the top

Typ av omrörare: disk agitator

Varvtal: 1.500

Mer

Isolerad: Nej

Vikt: 85