


150 liter tank i Syrafast 316



113,000,00 kr /st exkl moms

item available on order

Article type: brand new mixing tank - type VS-H12S-IL

Capacity: 150 L

Maximal density of the product: 1.200

Ra inner weld: 0,80

Finish stainless steel: 2B

Working pressure in tank: ATM - atmosferic

Max. working temperature: 150 °C

Min. working temperature: -10 °C



Material wet parts: SS AISI 316L (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Agitator: yes, optional

Mobile tank: no

Top type: flat

Shape of tank: cylindrical

Bottom type: conical 15 °

Total discharge: yes

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the complet cilinder

Height HE: 250 mm

Number of sections: 1

Water pressure HE: 5 Bar

Steam pressure HE: 3 Bar

Contact surface cylinder: 0,45 m²

Connection HE: 1" BSP

Working temperature HE cylinder: 150 °C

Water pressure HE: 5 Bar

Steam pressure HE: 3 Bar

Contact surface bottom: 0,12

Total contact surface: 0,57

Connection HE: 1" BSP

Working temperature HE bottom: 150 °C

Heat exchanger: RVS 304

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304L

Gasket manway(s): silicone

Fixation point(s): RVS 304L

Suitable for food industry: yes



Documents included: yes, optional
Technical drawing included: yes
Registration plate on the tank: yes
with inspection of: tuv

Flange for agitator: no
Tank outlet: inside Ø 40 mm
Outlet type: DIN11851
Total outlet valve: yes, optional
Type shut-off valve: butterfly valve

Top: 3 mm
Cylinder: 2 mm
Bottom: 2 mm
Cylinder: 2
Insulation body: yes

Bottom: 2
Insulation bottom/sides: yes
finish of the outer jacket: welded
Insulation thickness: 100
Internal diameter tank: 605 mm

Distance from outlet to ground: 250 mm
Outer diameter tank: 826 mm
Cylinder height: 500 mm
Feet height: 460 mm
Total height of tank: 1.450 mm

Empty weight tank: 144

SKU: 88173



Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Nyttillverkad
Omrörare: Nej
Volym i liter: 150

Utrustning

Livsmedelsklassad: Ja

Översikt material

Material: Syrafast 316

Dimensioner av tank

Ytterdiameter: 826 mm