

## 1500 liter tank i Rostfritt 304



**57,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** Filter tank for beer

**Volumetric volume (L):** 1.500 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** -10 °C

**Min. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Top type:** bridge with 2 lids

**Shape of tank:** rectangular

**Bottom type:** flat sloping

**Total discharge:** yes

**Fixation points:** 6 adjustable feet

**Insulation material:** PUR

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Tank outlet:** inside Ø 32 mm

**Outlet type:** DIN11851 male

**Total outlet valve:** no

**Insulation thickness:** 50

**Total height of tank:** 1.700 mm

**Total outer width:** 1.100 mm

**Total outer length:** 2.500 mm

**Empty weight tank:** 500

**SKU:** 182323

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Horisontell  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: insulated  
Max. arbetstemperatur: -10 °C  
Min. arbetstemperatur: 100 °C  
Mobil tank: Nej  
Övrig information: Filter tank for beer  
Omrörare: Nej  
Tankens form: rectangular  
Total urtappning: Ja  
Typ av botten: flat sloping  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1500

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 32 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN11851 male  
Utloppsventil: Nej

### Översikt material

Material: Rostfritt 304  
Isoleringsmaterial: PUR

## **Dimensioner av tank**

Total höjd: 1.700 mm

## **Tjocklek på ytterbeklädnad och isolering**

Isoleringsmaterial: PUR

## **Mer**

Isoleringstjocklek: 50

Isoleringstjocklek OW: 50

Isolerad: Ja

Vikt: 500