

## 1500 liter tank i Rostfritt 304



**83,000,00 kr /st exkl moms**

**Additional information:** Dairy; Height-adjustable screws of the feet are missing; hand lever of the butterfly valve is missing; Manhole cover not suitable for an operating pressure of 2 bar (vessel was probably operated without pressure by the previous operator and the cover was replaced accordingly); bump at the insulation jacket; Functionality of the double jacket not checked

**Volumetric volume (L):** 1.500 L

**Pressure in tank:** ATM - atmosferic

**Max. pressure (Bar):** 2 Bar

**Max. temperature (°C):** 120 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Max Overpressure:** 2 Bar

**Max. working temperature:** 20 °C

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** DN65 DIN 11851

**Internal diameter tank:** 1.150 mm

**Outer diameter tank:** 1.300 mm

**Cylinder height:** 1.550 mm

**Total height of tank:** 2.700 mm

**SKU:** 275197

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: Dairy; Height-adjustable screws of the feet are missing; hand lever of the butterfly valve is missing; Manhole cover not suitable for an operating pressure of 2 bar (vessel was probably operated

Övrig information2: without pressure by the previous operator and the cover was replaced accordingly); bump at the insulation jacket;Functionality of the double jacket not checked

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1500

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 1.550 mm  
Invändig diameter: 1.150 mm  
Total höjd: 2.700 mm  
Ytterdiameter: 1.300 mm

## Mer

Isolerad: Ja