

1500 liter tank i Syrafast 316



125,000,00 kr /st exkl moms

Additional information: pharmacy; frame, Aisi 304; slight metallic discoloration inside the tank; including Hilge Hygia centrifugal pump; temperature control takes place via a plug-in heater with an output of 11 KW; some residues of previous content

Volumetric volume (L): 1.500 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 135 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 70 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 48

Internal diameter tank: 1.085 mm

Outer diameter tank: 1.200 mm

Cylinder height: 1.030 mm

Total height of tank: 2.390 mm

Total outer width: 1.450 mm

Total outer length: 2.200 mm

SKU: 462333

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 135 °C

Mobil tank: Nej

Övrig information: pharmacy; frame, Aisi 304; slight metallic discoloration inside the tank; including Hilge Hygia centrifugal pump; temperature control takes place via a plug-in heater with an output of 11 KW; some

Övrig information2: residues of previous content; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.030 mm
Invändig diameter: 1.085 mm
Total höjd: 2.390 mm
Ytterdiameter: 1.200 mm

Mer

Isolerad: Ja