

150000 liter tank i Rostfritt 304



899,000,00 kr /st exkl moms

Additional information: Methanol; Diameter manhole 600 mm; green stains on one part of the insulation area (where it was wind protected) can be removed easily.; some residues of previous content

Volumetric volume (L): 150.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 60 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Top: 6 mm

Bottom: 8 mm

Internal diameter tank: 3.800 mm

Cylinder height: 13.180 mm

SKU: 278452

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 60 °C

Mobil tank: Nej

Övrig information: Methanol; Diameter manhole 600 mm; green stains on one part of the insulation area (where it was wind protected) can be removed easily.; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 150000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 13.180 mm

Invändig diameter: 3.800 mm

Tjocklek på tank

Botten: 8 mm

Topp: 6 mm

Mer

Isolerad: Ja