

16500 liter tank i Rostfritt 304



243,000,00 kr /st exkl moms

Additional information: Vegetable fat tank in an ice cream factory; Heating coil around about half of the cylinder height and the lower bottom; Insulating jacket around the entire tank (1 tank with smaller dents in the insulating jacket); some residues of previous content; pipe end cut flush

Volumetric volume (L): 16.500 L

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 90 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 108 L
Max Overpressure: 3 Bar
Max. working temperature: 90 °C
Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes

Position of manway: cylinder
Outlet of tank: 65
Internal diameter tank: 2.510 mm
Outer diameter tank: 2.680 mm
Total height of tank: 4.450 mm

SKU: 302479

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: Vegetable fat tank in an ice cream factory; Heating coil around about half of the cylinder height and the lower bottom; Insulating jacket around the entire tank (1 tank with smaller dents in the

Övrig information2: insulating jacket); some residues of previous content; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 16500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.510 mm

Total höjd: 4.450 mm

Ytterdiameter: 2.680 mm

Mer

Isolerad: Ja
