


19000 liter tank i Syrafast 316



191,000,00 kr /st exkl moms

Additional information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; 1 tank with insulation cover, which is damaged and likely needs to be replaced; legs of the storage tank are shorter than the lower bottom.

Volumetric volume (L): 19.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 50 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Top: 5 mm

Cylinder: 4 mm

Bottom: 5 mm

Outer diameter tank: 2.000 mm

Total height of tank: 6.830 mm

SKU: 477478

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; 1 tank with insulation cover, which is damaged and likely needs to be replaced; legs of the storage

Övrig information2: tank are shorter than the lower bottom.

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 19000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 6.830 mm

Ytterdiameter: 2.000 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 4 mm

Topp: 5 mm

Mer

Isolerad: Nej
