

2000 liter tank i Rostfritt 304



51,000,00 kr /st exkl moms

Additional information: Dairy; Outlet probably appr. 50 mm; manhole appr. 355 x 455 mm; some residues of previous content; dents at the insulation jacket

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: yes

Position of manway: cylinder

Internal diameter tank: 1.240 mm

Outer diameter tank: 1.350 mm

Cylinder height: 1.450 mm

Total height of tank: 2.750 mm

Empty weight tank: 750

SKU: 272797

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Outlet probably appr. 50 mm; manhole appr. 355 x 455 mm; some residues of previous content;dents at the insulation jacket

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.450 mm

Invändig diameter: 1.240 mm

Total höjd: 2.750 mm

Ytterdiameter: 1.350 mm

Mer

Isolerad: Ja

Vikt: 750

