

## 2000 liter tank i Rostfritt 304



**23,000,00 kr /st exkl moms**

**Article type:** second-hand transport tank

**Additional information:** Compound feed containers, not suitable for liquids, sliding flap 520mm x 420mm

**Volumetric volume (L):** 2.000 L

**Max. density P (kg/m<sup>3</sup>):** 500

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304L (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** flat

**Shape of tank:** square

**Bottom type:** strong conical

**Total discharge:** yes

**Fixation points:** 4 stackable frame

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** galvanised steel

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 395 mm

**Total outlet valve:** yes

**Agitator:** no

**Cylinder height:** 1.250 mm

**Total height of tank:** 2.110 mm

**Total outer width:** 1.150 mm

**Total outer length:** 1.150 mm

**Empty weight tank:** 250

**SKU:** 430298

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 500

Mobil tank: Nej

Övrig information: Compound feed containers, not suitable for liquids, sliding flap 520mm x 420mm

Omrörare: Nej

Tankens form: square

Total urtappning: Ja

Typ av botten: strong conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304L (V2A)

Volym i liter: 2000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Teknisk ritning finns: Nej

Utloppsventil: Ja

### Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): galvanised steel

**Dimensioner av tank**

Cylinderhöjd: 1.250 mm

Total höjd: 2.110 mm

**Mer**

Isolerad: Nej

Vikt: 250