

## 2000 liter tank i Rostfritt 304



**90,000,00 kr /st exkl moms**

**Article type:** second-hand

**Additional information:** manway 265mm x500mm; we can't give any guarantees about the agitator

**Volumetric volume (L):** 2.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Top type:** flat

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** no

**Fixation points:** 3 non adjustable feet

**Type of HE on the cylinder:** dimple-jacket

**Position HE:** the lower part of the cylinder

**Height HE:** 1.200 mm

**Water pressure HE:** 2 Bar

**Type of HE on the bottom:** dimple-jacket

**Water pressure HE:** 2 Bar

**Heat exchanger:** RVS 304

**Manway(s):** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 265 mm x H 500 mm

**Hinged lid:** yes

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** at the top

**Number of revolutions:** 195

**Top:** 5 mm

**Cylinder:** 2,50 mm

**Bottom:** 3 mm

**Tank capacity top cylinder:** 2.208 L

**Outer diameter tank:** 1.250 mm

**Cylinder height:** 1.800 mm  
**Total height of tank:** 2.440 mm  
**Empty weight tank:** 600

**SKU:** 183625

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: manway 265mm x500mm; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Nej

Typ av botten: conical

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 1.800 mm  
Total höjd: 2.440 mm  
Ytterdiameter: 1.250 mm

## Värmeväxlare

Höjd värmeväxlare: 1.200 mm  
Position värmeväxlare: the lower part of the cilinder  
Typ av värmeväxlare på cylinder: dimple-jacket  
Typ av värmeväxlare på botten: dimple-jacket  
Vattentryck värmeväxlare: 2 Bar  
Vattentryck värmeväxlare botten: 2 Bar

## Omrörare

Position motor: at the top  
Typ av omrörare: propeller agitator  
Varvtal: 195

## Tjocklek på tank

Botten: 3 mm  
Cylinder: 2,50 mm  
Topp: 5 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej

Vikt: 600