

2000 liter tank i Rostfritt 304



100,000,00 kr /st exkl moms

Article type: second-hand pressure tank

Additional information: The tanks have never been used

Volumetric volume (L): 2.000 L

Pressure in tank: pressure

Design pressure (Bar): 4,30 Bar

Max. pressure (Bar): 3 Bar

Max. temperature (°C): 20 °C

Min. temperature (°C): -10 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 440 mm x H 340 mm

CIP spray ball: yes

Tank outlet: inside Ø 32 mm

Outlet type: DIN11851 male

Total outlet valve: no

Distance from outlet to ground: 200 mm

Outer diameter tank: 1.400 mm

Cylinder height: 1.200 mm

Total height of tank: 2.100 mm

Empty weight tank: 600

SKU: N/A

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Designtryck för tanken: 4,30 Bar
Konfiguration: single-skin
Max. arbetstemperatur: 20 °C
Min. arbetstemperatur: -10 °C
Mobil tank: Nej
Övrig information: The tanks have never been used
Omrörare: Nej
Övertryck: 3 Bar
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2000



Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 32 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851 male
Utloppsventil: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 1.200 mm
Mått utlopp till marken: 200 mm
Total höjd: 2.100 mm
Ytterdiameter: 1.400 mm

Mer

Isolerad: Nej
Vikt: 600