

2000 liter tank i Rostfritt 304



57,000,00 kr /st exkl moms

Additional information: Cip-tank; slight differences in design (connectors); diameter manhole 490 mm; former connectors were welded closed by the former operator; tank 1: 1 round sheet of 304 was subsequent welded in the lower bottom (slightly pushed inwards); tank 2: metallic discolourations inside (see pictures); some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 2.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: flange DN40
Internal diameter tank: 1.190 mm
Outer diameter tank: 1.330 mm
Cylinder height: 1.490 mm
Total height of tank: 3.150 mm

SKU: 270640

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Cip-tank; slight differences in design (connectors); diameter manhole 490 mm; former connectors were welded closed by the former operator; tank 1: 1 round sheet of 304 was subsequent welded in the

Övrig information2: lower bottom (slightly pushed inwards); tank 2: metallic discolourations inside (see pictures); some residues of previous content;bump at the insulation jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.490 mm

Invändig diameter: 1.190 mm

Total höjd: 3.150 mm

Ytterdiameter: 1.330 mm

Mer

Isolerad: Ja
