

2000 liter tank i Syrafast 316



40,000,00 kr /st exkl moms

Additional information: Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer); Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage

Volumetric volume (L): 2.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: 430
Total height of tank: 1.600 mm
Total outer width: 1.550 mm
Total outer length: 1.550 mm

SKU: N/A

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer);

Övrig information2: Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 1.600 mm

Mer

Isolerad: Nej