

20000 liter tank i Rostfritt 304



133,000,00 kr /st exkl moms

Additional information: textile industry; 1 pipeline for cleaning in the upper cylinder area; screw-nuts of the cover screws welded; agitator was removed meanwhile and is enclosed loose; some residues of previous content

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 120

Agitator: yes
Number of revolutions: 720 / 1455
Power: 11 / 16
Top: 2,30 mm
Cylinder: 3,80 mm

Bottom: 3,80 mm
Internal diameter tank: 2.800 mm
Cylinder height: 3.000 mm
Total height of tank: 4.450 mm

SKU: 459737

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: textile industry; 1 pipeline for cleaning in the upper cylinder area; screw-nuts of the cover screws welded; agitator was removed meanwhile and is enclosed loose; some residues of previous content;

Övrig information2: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.800 mm

Total höjd: 4.450 mm

Omrörare

Kraft (kW): 11 / 16

Varvtal: 720 / 1455

Tjocklek på tank

Botten: 3,80 mm

Cylinder: 3,80 mm

Topp: 2,30 mm

Mer

Isolerad: Nej