

2100 liter tank i Rostfritt 304



45,000,00 kr /st exkl moms

Additional information: 4 supprt brackets, Fe; insulating jacket with smaller holes; outlet with lid diameter approx. 170 mm (in the lid 1 connection diameter 38 mm); Manhole cover closure parts made of Fe; Manhole cover plug screw bent (see photos); some residues of previous content; dents at the insulation jacket

Volumetric volume (L): 2.100 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Position of manway: in the bottom

Outlet of tank: available
Internal diameter tank: 1.090 mm
Outer diameter tank: 1.200 mm
Cylinder height: 2.150 mm
Total height of tank: 3.250 mm

SKU: 296894

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: 4 supprt brackets, Fe; insulating jacket with smaller holes; outlet with lid diameter approx. 170 mm (in the lid 1 connection diameter 38 mm); Manhole cover closure parts made of Fe; Manhole cover

Övrig information2: plug screw bent (see photos) ; some residues of previous content;dents at the insulation jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.150 mm

Invändig diameter: 1.090 mm

Total höjd: 3.250 mm

Ytterdiameter: 1.200 mm

Mer

Isolerad: Ja
