

## 2150 liter tank i Rostfritt 304



**51,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** The tank has never been used.

**Volumetric volume (L):** 2.150 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** large seperat lid

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** yes

**Fixation points:** 3 non adjustable feet

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Tank outlet:** inside Ø 40 mm

**Outlet of tank:** DIN 11851

**Top:** 1 mm

**Cylinder:** 1 mm

**Bottom:** 1,50 mm

**Internal diameter tank:** 1.190 mm

**Outer diameter tank:** 1.230 mm

**Cylinder height:** 2.000 mm

**Feet height:** 400 mm

**Empty weight tank:** 200

**SKU:** 124567

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Mobil tank: Nej  
Övrig information: The tank has never been used.  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: conical  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 2150

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 40 mm  
Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304



## Dimensioner av tank

Cylinderhöjd: 2.000 mm  
Höjd på fötter: 400 mm  
Invändig diameter: 1.190 mm  
Ytterdiameter: 1.230 mm

## Tjocklek på tank

Botten: 1,50 mm  
Cylinder: 1 mm  
Topp: 1 mm

## Mer

Isolerad: Nej  
Vikt: 200