

2335 liter tank i Syrafast 316



60,000,00 kr /st exkl moms

Additional information: Pharmacy; Double jacket, Aisi 304 around the cylinder and lower bottom; lower heating connection was welded shut by the previous operator; 2 feet were cut off by the previous operator (are loosely enclosed); some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 2.335 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.390 mm
Outer diameter tank: 1.500 mm
Cylinder height: 1.160 mm
Total height of tank: 2.550 mm

SKU: 275938

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Double jacket, Aisi 304 around the cylinder and lower bottom; lower heating connection was welded shut by the previous operator; 2 feet were cut off by the previous operator (are loosely

Övrig information2: enclosed) ; some residues of previous content;bump at the insulation jacket; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2335

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.160 mm

Invändig diameter: 1.390 mm

Total höjd: 2.550 mm

Ytterdiameter: 1.500 mm

Mer

Isolerad: Ja
