

2350 liter tank i Rostfritt 304



Be om offert

Closed type tank 2350 L:

- Diameter of the tank 11000 mm
- Hight of the jacket 3000 mm
- Down inclination bottom 5%
- On the top conical central bottom
- Legs hight 400 mm 4 pcs
- Adjustable legs 4 pcs
- Material AISI304
- On the site oval manhole art. opening inside
- Total outlet inox ball valve DN50
- Partial outlet inox ball valve DN50
- Inox sample tap DN20
- Level indicator DN20 closed type
- Inox plate with technical data

- Inox support for ladder
- Cooling/heating jacket Utype 2x350x height 1500 (2 pc on the tank)
- On the top, position front round manhole diameter 220 mm
- On the top plastic PVC relief valve DN50
- On the top, position center inside CIP rotation ball, outside inox tube with inox ball valve on the height 600 mm
- Thickness of material for complete tank 2 mm
- All internal welds are flat Ra 0,8
- External surface are

SKU: 220359

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Volym i liter: 2350

Utrustning

Märkskylt: Ja
Livsmedelsklassad: Ja

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Ytterdiameter: 1.100 mm