

2400 liter tank i Syrafast 316



126,000,00 kr /st exkl moms

Additional information: Cosmetics; Outlet fitting is missing; possibly documents on diskette (not yet looked through); some residues of previous content

Volumetric volume (L): 2.400 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 65

Number of revolutions: 950

Power: 5,50

Internal diameter tank: 1.630 mm

Outer diameter tank: 1.890 mm

Cylinder height: 1.000 mm

Total height of tank: 3.400 mm

SKU: 273037

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Cosmetics; Outlet fitting is missing; possibly documents on diskette (not yet looked through); some residues of previous content; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.630 mm

Total höjd: 3.400 mm

Ytterdiameter: 1.890 mm

Omrörare

Kraft (kW): 5,50

Varvtal: 950

Mer

Isolerad: Ja
