

245000 liter tank i Rostfritt 304



808,000,00 kr /st exkl moms

Additional information: Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately)

Volumetric volume (L): 245.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Number of revolutions: 40 / 80

Power: 2.7 / 5.5

Internal diameter tank: 4.450 mm

Outer diameter tank: 4.610 mm

Cylinder height: 15.750 mm

Total height of tank: 17.000 mm

SKU: 273298

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately

Omrörare: Ja

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 245000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 15.750 mm

Invändig diameter: 4.450 mm

Total höjd: 17.000 mm

Ytterdiameter: 4.610 mm

Omrörare

Kraft (kW): 2.7 / 5.5

Varvtal: 4.080

Mer

Isolerad: Nej