

2500 liter tank i Rostfritt 304



44,000,00 kr /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 420 mm in the front bottom; 2 slightly different versions: version 1 with stackable frame in top and a reinforcement rod inside can be used to stack version 2 (without frame) on top; tanks were professionally cleaned and overhauled in 2024; brand new residual drain valves (screwed on to enlarge the outlet to DN 50 DIN 11851 (with butterfly valve)) and

manhole seals were installed; small dents possible

Volumetric volume (L): 2.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Total height of tank: 1.850 mm

Total outer width: 730 mm

Total outer length: 2.800 mm

SKU: 439844

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; 1 manhole approx. 320 x 420 mm in the front bottom; 2 slightly different versions: version 1 with stackable frame in top and a reinforcement rod inside can be used to stack version 2

Övrig information2:

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.850 mm

Mer

Isolerad: Nej