

## 2500 liter tank i Rostfritt 304



**34,000,00 kr /st exkl moms**

**Additional information:** Cosmetics; Basic dimensions inside: approx. 1,100 x 1,100 mm; Internal wall height: approx. 2,150 mm; light protective paint on the outside (no longer completely complete); Manhole diameter approx. 490 mm; slight differences in execution, e.g. B. manholes and outlets; Diameter of residual emptying mostly 25 mm (sometimes 50 mm); 2 tanks without level indicator; some residues of previous

content

**Volumetric volume (L):** 2.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** available

**Total height of tank:** 3.250 mm

**Total outer width:** 1.230 mm

**Total outer length:** 1.500 mm

**SKU:** 452102

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Basic dimensions inside: approx. 1,100 x 1,100 mm; Internal wall height: approx. 2,150 mm; light protective paint on the outside (no longer completely complete);

Manhole diameter approx.

Övrig information2: 490 mm; slight differences in execution, e.g. B. manholes and outlets;

Diameter of residual emptying mostly 25 mm (sometimes 50 mm); 2 tanks without level indicator; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 3.250 mm

## Mer

Isolerad: Nej