

2500 liter tank i Rostfritt 304



61,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside

Volumetric volume (L): 2.500 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: flange DN100
Cylinder: 5,20 mm
Bottom: 4,90 mm
Internal diameter tank: 1.290 mm

Cylinder height: 1.750 mm
Total height of tank: 3.150 mm

SKU: 289823

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.750 mm

Invändig diameter: 1.290 mm

Total höjd: 3.150 mm

Tjocklek på tank

Botten: 4,90 mm

Cylinder: 5,20 mm

Mer

Isolerad: Nej
