

## 25000 liter tank i Rostfritt 304



**226,000,00 kr /st exkl moms**

**Additional information:** Dairy; Manhole diameter appr. 410 mm; 1 dent in the insulation jacket in the transition from cylinder to upper bottom; 2 of the feet are lightly pressed into the lower bottom, the previous operator welded metal sheets on the outside for stabilization (see photos); if you are looking for an identical tank for this item, we may be able to offer you an identical tank from an external stock (without

guarantee).

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 80

**Agitator:** yes

**Number of revolutions:** 925

**Power:** 1,50

**Internal diameter tank:** 2.590 mm

**Outer diameter tank:** 2.700 mm

**Cylinder height:** 4.650 mm

**Total height of tank:** 6.150 mm

**SKU:** 286430

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Dairy; Manhole diameter appr. 410 mm; 1 dent in the insulation jacket in the transition from cylinder to upper bottom; 2 of the feet are lightly pressed into the lower bottom, the previous operator

Övrig information2:

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 4.650 mm

Invändig diameter: 2.590 mm

Total höjd: 6.150 mm

Ytterdiameter: 2.700 mm

**Omrörare**

Kraft (kW): 1,50

Varvtal: 925

**Mer**

Isolerad: Ja