


25000 liter tank i Syrafast 316



211,000,00 kr /st exkl moms

Additional information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; one tank is insulated but the insulation was damaged in some areas and likely needs replacement

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Internal diameter tank: 2.390 mm

Outer diameter tank: 2.400 mm

Cylinder height: 5.400 mm

Total height of tank: 6.400 mm

SKU: 477547

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; one tank is insulated but the insulation was damaged in some areas and likely needs replacement

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 25000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 5.400 mm

Invändig diameter: 2.390 mm

Total höjd: 6.400 mm

Ytterdiameter: 2.400 mm

Mer

Isolerad: Nej

