

## 2740 liter tank i Syrafast 316



**75,000,00 kr /st exkl moms**

**Additional information:** Lid rim slightly bent in places; Fastening screws of the cover segment are bent; Wall thickness of the hinged segment of the tank cap approx. 2 mm; some residues of previous content

**Volumetric volume (L):** 2.740 L

**Pressure in tank:** ATM - atmosferic



**Max. temperature (°C):** 95 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 120 L

**Max Overpressure:** 2,50 Bar

**Max. working temperature:** 95 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** yes

**Outlet of tank:** 50

**Top:** 3 mm

**Cylinder:** 4 mm

**Bottom:** 4,90 mm

**Internal diameter tank:** 1.130 mm

**Outer diameter tank:** 1.240 mm

**Cylinder height:** 2.400 mm

**Total height of tank:** 3.350 mm

**Empty weight tank:** 750

**SKU:** 275014

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Lid rim slightly bent in places; Fastening screws of the cover segment are bent; Wall thickness of the hinged segment of the tank cap approx. 2 mm; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2740

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 2.400 mm  
Invändig diameter: 1.130 mm  
Total höjd: 3.350 mm  
Ytterdiameter: 1.240 mm

## Tjocklek på tank

Botten: 4,90 mm  
Cylinder: 4 mm  
Topp: 3 mm

## Mer

Isolerad: Nej  
Vikt: 750