

27800 liter tank i Syrafast 316



234,000,00 kr /st exkl moms

Additional information: Solvents; Built according to DIN6618; indicated height is measured excluding screwed measuring devices on top of the manhole; transport dimensions are: 4,5 x 3,35 x 3,35 m

Volumetric volume (L): 27.800 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,50 Bar

Min. pressure (Bar): 0,10 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outer diameter tank: 3.350 mm

Total height of tank: 4.420 mm

SKU: 289844

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Solvents; Built according to DIN6618; indicated height is measured excluding screwed measuring devices on top of the manhole; transport dimensions are: 4,5 x 3,35 x 3,35 m

Omrörare: Nej

Övertryck: 0.50 Bar

Total urtappning: Nej

Undertryck (vakuum): 0,10 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 27800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 4.420 mm

Ytterdiameter: 3.350 mm

Mer

Isolerad: Nej

