

## 2800 liter tank i Rostfritt 304



**152,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** Tank AD-2000 Merkblatt, agitator CE0344 ATEX Ex 2 1/3 G bc T4; hardly ever used; we can't give any guarantees about the agitator

**Volumetric volume (L):** 2.800 L

**Max. density P (kg/m<sup>3</sup>):** 1.400

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 90 °C

**Material wet parts:** SS AISI 304 (V2A)



**Model:** vertical  
**Configuration:** single-skin

**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Top type:** dished  
**Shape of tank:** cylindrical

**Bottom type:** dished  
**Total discharge:** yes  
**Fixation points:** 3 supports for platform  
**Fixation point(s):** RVS 304  
**Wet parts agitator(s):** SS AISI 304L (V2A)

**Suitable for food industry:** no  
**Documents included:** yes  
**Technical drawing included:** yes  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Tank outlet:** inside Ø 50 mm  
**Agitator:** yes  
**Position engine:** at the top  
**Number of revolutions:** 120  
**Power:** 2,20

**Voltage:** 400 V - three-phase  
**Top:** 5 mm  
**Cylinder:** 3 mm  
**Bottom:** 3 mm  
**Internal diameter tank:** 1.400 mm

**Outer diameter tank:** 1.700 mm  
**Cylinder height:** 1.700 mm  
**Total height of tank:** 3.100 mm  
**Empty weight tank:** 750

**SKU:** 295445

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Maximal densitet för produkten: 1400

Mobil tank: Nej

Övrig information: Tank AD-2000 Merkblatt, agitator CE0344 ATEX Ex 2 1/3 G bc T4; hardly ever used; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0.50 Bar

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2800

### Utrustning

Dokument finns: Ja

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Ja

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304L (V2A)

## Dimensioner av tank

Cylinderhöjd: 1.700 mm

Invändig diameter: 1.400 mm

Total höjd: 3.100 mm

Ytterdiameter: 1.700 mm

## Omrörare

Kraft (kW): 2,20

Position motor: at the top

Varvtal: 120

Spänning (Volt): 400 V – three-phase

## Tjocklek på tank

Botten: 3 mm

Cylinder: 3 mm

Topp: 5 mm

## Mer

Isolerad: Nej

Vikt: 750