

## 29000 liter tank i Rustfritt 304



**99,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 29.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)



**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Shape of tank:** cylindrical

**Wall type:** dished

**Total discharge:** yes

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 2

**Position of manway:** at the top

**Height manhole 1 (mm):** 480 mm

**Position 2nd manway:** headside

**Tank outlet:** inside Ø 40 mm

**Agitator:** no, optional

**Top:** 4 mm

**Cylinder:** 3 mm

**Bottom:** 4 mm

**Distance from outlet to ground:** 45 mm

**Outer diameter tank:** 1.880 mm

**Cylinder height:** 10.000 mm

**Total height of tank:** 2.200 mm

**Total outer width:** 1.880 mm

**Total outer length:** 10.450 mm

**Empty weight tank:** 3.000

**SKU:** 86230

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304  
Modell: Horisontell  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Mobil tank: Nej  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 29000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Tankutlopp: inside Ø 40 mm  
Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 10.000 mm  
Mått utlopp till marken: 45 mm  
Total höjd: 2.200 mm  
Ytterdiameter: 1.880 mm

## Tjocklek på tank

Botten: 4 mm  
Cylinder: 3 mm  
Topp: 4 mm

## Mer

Isolerad: Nej  
Vikt: 3.000